

Anthelmintics

Injectable Cattle Wormers

NOROMECTIN

4018200	50ml	A new generic version of Ivermectin, same dosage 1ml per 50kg. Noromectin offers a high quality product at sensible prices.
4018100	250ml	
4018000	500ml	

DECTOMAX

PML

4015700	50ml	Because of its reliable effective long action, Dectomax™ allows for greater flexibility of use during summer grazing and at housing.
4015500	200ml	
4015600	500ml	
4016500	2 x 500ml	

Dose rate: 1ml/50kg bodyweight. Meat withholding time 56 days. Do not use in cows producing milk for human consumption. Do not use in dairy cows within 60 days prior to calving.

IVOMEC SUPER INJECTION

PML

4003400	50ml	<i>Dosed at the rate of ml/50kg: 50ml treats 8 x 300kg animals. 200ml treats 33 x 300kg animals. 500ml treats 83 x 300kg animals.</i>
4003500	200ml	
4003300	500ml	
4015900	1ltr	

Contains ivermectin (10mg/ml) and clorsulon (100mg/ml) for treatment/control of gastrointestinal roundworms, including inhibited Ostertagia, lungworms, liver-fluke, eyeworms, lice, mange and warbles in beef and non-lactating dairy cattle.

LEVACIDE INJECTION

PML

4004100	500ml	Broad spectrum anthelmintic (levamisole 7.5%) for use in cattle, sheep and pigs.
<i>Dose for cattle 5ml per 50kg liveweight by injection. Cattle withhold times 84 hours (milk), 14 days (meat).</i>		

TRODAX 34% CATTLE & SHEEP INJECTION

PML

4010900	250ml	An injection for mature and immature fluke control in cattle and sheep.
4010700	1ltr	

Also effective against haemonchus contortus in sheep and haemonchus placei, oesophagostomum and bunostomum in cattle. *Dose 1.5ml per 50kg bodyweight: repeat at not less than 1 monthly intervals.*

Cattle Wormers – Drenches

Customers requiring drenches containing cobalt & selenium (SC) will be given a bottle of SC concentrate FREE for every 1ltr of drench purchased – please ask!

COMBINEX CATTLE

PML

4013300	2.2ltr	A combination of levamisole broad spectrum wormer and triclabendazole flukicide which is compatible with most types of drenching gun, but with a lower dose rate to make drenching easier. Can be safely given to young, pregnant or stressed stock. <i>Dose rate 1ml/10kg bodyweight.</i>
4013200	800ml	

FASINEX 10% FOR CATTLE

PML

4002500	2.2ltr	At recommended 12ml/100kg liveweight dose gives unrivalled control of liver fluke in cattle.
4000028	5ltr	

NILZAN GOLD

PML

4000007	1ltr	Effective against mature & developing immature stages of all major stomach and bowel worm species & fluke. <i>Dose: 25ml/100kg liveweight. Cattle (liveweight) Up to 75kg - 12.5ml 12.6 - 17.5kg - 37.5ml 226 - 300kg - 6.25ml dose is: 76 - 125kg - 25.0ml 176 - 225kg - 50.0ml 301kg+ - 75.0ml</i>
4005200	5ltr	

PANACUR 10% CATTLE

4006100	1tr	Effective against all gastrointestinal roundworms: mature, immature & eggs. Prevents <i>Ostertagiasis Type II</i> (winter scours) and eliminates lungworm. <i>Dose: 7.5m/per 100kg liveweight.</i>
4006700	2ltr	
4006000	5ltr	
4007300	10ltr	

VALBAZEN 10% CATTLE AND SHEEP DRENCH

PML

4011500	1ltr	Total spectrum, multi-purpose wormer for control of stomach & intestinal roundworms, lungworms and tapeworms (heads & segments) including type II ostertagiasis in cattle and sheep. Will also kill adult liver flukes and fluke eggs. <i>Dose: Cattle for worms; 3.75ml per 50kg bodyweight Dose: Cattle for Fluke and worms; 5ml per 50kg bodyweight Dose: Sheep for worms; 0.5 ml per 10kg bodyweight Dose: Sheep for Fluke and worms; 0.75ml per 10kg bodyweight.</i>
4011600	2.5 ltr	
4011800	5 ltr	

Pour-On Cattle Wormers

NOROMECTIN POUR-ON

4017900	250 ml	A new generic version of Ivermectin, same dosage 5ml per 50kg. Noromectin offers a high quality product at sensible prices.
4017800	1ltr	
4017700	2.5ltr	
4017600	5ltr	

EPRINEX POUR-ON

PML

4016700	250 ml	For the treatment and control of Gastrointestinal roundworm (including inhibited ostertagia ostertagi and cooperia SSP) Lungworms, warbles, sucking and biting lice, chorioptic and sarcoptic mange mite in beef and dairy cattle. No milk withdrawal.
4016800	1ltr	
4016900	2.5ltr	
4017000	5ltr	

DECTOMAX POUR ON

4016100	250ml	The power of Dectomex with pour-on convenience for protection against parasitic gastroenteritis, lungworm and homeflies.
4016200	1ltr	
4016300	2.5ltr	Use 1ml/10kg liveweight at turn-out and 8 weeks alter for seasons protection. 2 x 2.5ltr pack is a special presentation pack complete with applicator.
4000104	5ltr	

Animal health (PML) products are by law stored under controlled conditions and cannot be returned to Carrs Billington for credit



With FREE overtrousers while stocks last*

Effective parasite control - no bull!



Manufacturer: Norbrock Laboratories Ltd. Newry, Co.Down, N.Ireland. Distributor: Norbrock Laboratories (GB) Ltd. Great Corby, Carlisle, Cumbria.

Noromectin Pour-On contains 0.5 w/v (5mg/ml) ivermectin as an active ingredient. Noromectin Injection contains 1.0% w/v ivermectin as an active ingredient. Animals must not be slaughtered for human consumption during treatment. Meat withdrawal period - for Noromectin Pour-On 28 days and for Noromectin Injection 35 days. Do not use in cattle producing milk for human consumption or in non-lactating cows, including pregnant heifers, within 60 days of calving. Legal Category **(PMI)**. Further information is available on request.

* Special FREE overtrousers offer applies to Pour-On packs ONLY. ©2005 Norbrock Laboratories Ltd.

Bolus Cattle Wormers

AUTOWORM BOLUS FOR CATTLE

PML

Automatic pulse release worming boluses used for seasonal worm control in cattle, to be dosed ideally at turnout. All sizes of Autoworm bolus are effective against all major mature and immature gut worms, lungworms and tapeworms. Doses released at approx. 21 day intervals over a period of between 100 and 147 days.

4000100 Autoworm First Grazer For 100kg/400kg at dosing	Autoworm First Grazer – 7 pulses, 21 days apart, 1st pulse 21 days after dosing
4000300 Autoworm Finisher For 100kg/400kg at dosing	Autoworm Finisher – 5 pulses, 21 days apart, 1st pulse 21 days after dosing

Ask about Carrs special early order prices on all Autoworm Boluses.

PANACUR BOLUS

PML

4014600
Free applicator with your 1st Panacur Bolus orders to Carrs.

Convenient bolus (contains 12g fenbendazole) treats an 100-300kg animal at time of administration for powerful control of gut roundworm infestations during the grazing season, providing continuous release of active ingredient for up to 140 days.

This biodegradable and environmentally friendly bolus suitable for dairy, beef and mixed enterprise young stock may also be used later season to combat existing infestations in cattle. Tremendous labour savings possible against worming drenches, extra liveweight gains achieved and it has been found using the Panacur Bolus, reduces the risk of lungworm disease and produces a leaner, improved carcass.

Sheep Wormers – Drenches

Customers requiring worm drenches containing cobalt & selenium (SC) will be given a bottle of concentrate SC FREE for every 1 ltr of drench purchased – please ask!

COMBINEX SHEEP

PML

4013800 800ml	A combination of levamisole broad spectrum wormer and triclabendazole flukicide with low dose rate for easier drenching. Can be safely given to young, pregnant or stressed stock. Dose: 1 m//5kg bodyweight
4013100 2.2ltr	
4013000 5ltr	

FASINEX 5% FLUKE DRENCH

PML

4000008 800ml	At recommended dose rates gives unrivalled control of liver fluke in sheep from 2 weeks onwards. Dose: 10ml/50kg bodyweight
4002300 2.2ltr	
4002400 5ltr	

NILZAN GOLD

PML

4000007 1ltr	Effective wormer for mature and developing immature stages of all major stomach/bowel worms and fluke. Dose: 2.5ml/10kg liveweight
4005200 5ltr	

NOROMECTIN DRENCH

PML

4018600 1ltr	For treatment and control of adult and immature roundworms, including inhibited Ostertagia and Haemonchus contortus, Nematodirus, System pack** lungworms and nasal bots of sheep. Dose 2.5m/ per 10kg bodyweight
4018700 2.5ltr	
4018800 5ltr	
4018900 10ltr	

PANACUR 2.5% SC SHEEP WORMER

PML

4006500 1ltr	Effective against all major roundworms, mature, immature and eggs including Nematodirus, tapeworms and Dictyocaulus filaria (lungworm). Dose rate: 1ml/5kg bodyweight
4006600 2ltr	
4006900 5ltr	
4007100 10ltr	

Farmers with particular worm problems which seem difficult to combat may find the answer in a wormer, dispensed specially for them. Carrs Billington, with their own pharmacy, are able to offer this service. Ask your local Carrs Billington Branch or representative for details.

VALBAZEN SC DRENCH 2.5%

PML

4011200 1ltr	Total spectrum sheep/cattle wormer with advantage of small volume sheep dose. Controls stomach roundworms, intestinal roundworms, lungworms and tapeworms (heads & segments) including type II ostertagiasis. Also kills adult liver flukes and fluke eggs. Only use in accordance with label instructions unless otherwise directed by veterinarian. Dose rates shown are approximate for purchase planning:
4011300 2.5ltr	
4011700 5ltr	
4014100 10ltr	

Sheep dose: (ltr Pack size only) Worms 2ml/10kg b/weight Fluke and worms, 3ml/10kg;

VALBAZEN 10% CATTLE AND SHEEP DRENCH

PML

4011500 1ltr	Total spectrum, multi-purpose wormer for control of stomach & intestinal roundworms, lungworms & tapeworms (heads & segments) including type II ostertagiasis in cattle. Will also kill adult liver flukes and fluke eggs.
4011600 2.5ltr	
4011800 5ltr	

fluke eggs.

Dose: Cattle for worms; 3.75ml per 50kg bodyweight
Dose: Cattle for Fluke and worms; 5ml per 50kg bodyweight
Dose: Sheep for worms; 0.5 ml per 10kg bodyweight
Dose: Sheep for Fluke and worms; 0.75ml per 10kg bodyweight.

CYDECTIN SHEEP DRENCH

PML

4016400 5ltr	For the treatment and control of adult and immature roundworms including: Nematodirus, plus inhibited larvae of Ostertagia Haemonchus and Trichostrongylus. Benzimidazole resistant strains of Ostertagia, Haemonchus, Trichostrongylus and Cooperia. Dose: 2ml per 10kg bodyweight.
---------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

LEVITAPE

PML

4000117 5ltr	Levitape is a broad spectrum anthelmintic containing Levamisole and Praziquantel. Levitape kills Tapeworms and all major Roundworms including Benzimidazole resistant worms. Dose: 2ml per 10kg bodyweight.
---------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Injectable Sheep Wormers

DECTOMAX INJECTION

4015700	50ml	The No. 1 product for controlling worms and scab in sheep can be used in ewes right up to lambing. One single injection kills all common gastro intestinal round worms and nasal bot and sheep scab. <i>Dose 1ml/33kg</i>
4015500	200ml	
4015600	500ml	
4016500	2 x 500ml	

TRODAX 34% CATTLE & SHEEP INJECTION PML

4010900	250ml	An injection for mature and immature fluke control in cattle and sheep.
4010700	1ltr	


Also effective against haemonchus contortus in sheep and haemonchus placei, oesophagostomum and bunostomum in cattle. *Dose 1.5ml per 50kg bodyweight: repeat at not less than 1 monthly intervals.*

Auto Drenchers & Vaccinators

AUTOMATIC DRENCHER

3205600	20ml
---------------	------

For administration of most drenches within dose range, given normal care these drenchers will last indefinitely. Valves are readily accessible for cleaning by unscrewing inlet adaptor and nozzle nut.



Dose is simply set by aligning calibration on the push rod with the rear of the handle, then lock by means of the screw at the base of the handle.

The vinyl drench reservoir is a lightweight 5ltr container, highly resistant to all drenches. Hook dosing nozzles are optional extras.

Poultry/Game Bird Wormer

FLUBENVET INTERMEDIATE PML

4000102	240g	Flubendazole in feed wormer for pheasants, partridge, chickens, geese and turkeys to control gastrointestinal and respiratory tract nematodes and cestodes. <i>Use in feed for 7 consecutive days at the equivalent rate of: 2.4kg/t for pheasant and partridge, 1.2kg/t for chickens and geese, 800g/tonne for turkeys.</i>
---------------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Horse Wormers

EQUEST HORSE WORMER GEL

4012700	Syringe	A new generation broad spectrum horse, pony, mare and foal wormer with longer lasting worm control. <i>Dose: Just 4 times a year for a full year of control.</i>
---------------	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

EQUALAN PASTE SYRINGE

4002100		Kills all important parasites including arterial stages of large redworm (s. vulgaris) and bots in Horses. <i>Dose is from 5.35 gram syringe with divisions for 100kg bodyweight – one syringe will treat a horse of 600kg bodyweight. Ivermectin.</i>
---------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PANACUR 22% HORSE WORMER PML

10 gram sachets		Effective against all the immature and mature stages of worms found in the gastrointestinal tracts of horses. Panacur will remove large and small strongyles, ascarids, oxyuris, strongyloides and lungworms. <i>Dose is 5g/50kg bodyweight (see literature). Fenbendazole.</i>
4006400	10 pk	

PANACUR HORSE WORMER TUBE PASTE PML

4007000		Properties as for Panacur 22% above, presented as individual syringes, each sufficient for 500kg bodyweight (see literature).
---------	--	-------------------------------------------------------------------------------------------------------------------------------

STRONGID HORSE WORMER SACHET PML

4008800		Broad spectrum horse wormer for administration mixed in feed, each sachet contains 6.75g (5.18g pyrantel embonate). <i>One sachet per 600lb bodyweight for roundworms, two sachets per 600lb bodyweight for tapeworms.</i>
---------	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

STRONGID P PASTE TUBE PML

4008700		Disposable syringe. <i>600lb bodyweight use 1/2 syringe, 600-1200lb use full syringe for roundworms. Double dose to include tapeworms.</i>
---------	--	--------------------------------------------------------------------------------------------------------------------------------------------

PANACUR EQUINE GUARD PML

5 day course		Controls encysted small redworm. Small redworm disease can even strike down horses which are regularly dewormed, because whilst all three types of horse wormer (benzimidazole, pyrantel and ivermectin) control small redworm in the gut, none are effective against encysted fourth-stage larvae (those which remain within the gut wall as cysts). To avoid harmful mass-emergence of these larvae in late winter or spring include a 5-day Panacur Guard (contains 100mg Fenbendazole/ml.) course in your worming programme; ideally in November when most larvae are encysted within the gut wall. - Timing is important. It is also wise to include a further Panacur Guard dose in first week of Feb. where there are young animals (studs, breaking yards), old animals (rescue/retirement centres), or high stocking density (more than 1 horse/acre).
4016000	225ml	

PYRATAPE P HORSE PASTE PML

4000106		Pyrantel based broad spectrum horse wormer which also controls Tapeworm.. <i>One syringe will treat a horse up to 600kg bodyweight.</i>
---------	--	-----------------------------------------------------------------------------------------------------------------------------------------

EQUITAPE HORSE PASTE PML

4000113		Praziquantel based broad spectrum horse wormer which also controls Tapeworm. <i>One syringe will treat a horse up to 600kg bodyweight.</i>
---------	--	--------------------------------------------------------------------------------------------------------------------------------------------

EQVALAN DUO HORSE PASTE PML

4000121		Ivermectin plus Praziquantel based broad spectrum horse wormer which controls the same worms as Eqvalan plus Tapeworms. <i>One syringe will treat a horse up to 600kg bodyweight.</i>
---------	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

NOROMECTIN HORSE PASTE PML

4009900		Ivermectin based broad spectrum horse wormer. <i>One syringe will treat a horse up to 600kg bodyweight.</i>
---------	--	-------------------------------------------------------------------------------------------------------------

EQUIMAX HORSE PASTE PML

4000009		Ivermectin plus Praziquantel based broad spectrum horse wormer. <i>One syringe will treat a horse up to 600kg bodyweight.</i>
---------	--	-------------------------------------------------------------------------------------------------------------------------------

Dose rates shown are based on manufacturers' literature for purchase planning. Be sure to follow the instructions on packaging or container when treating animals.