

Workshop & Parts

There are workshop and parts departments at six of our branches, which fully support the sales of Massey Ferguson tractors and machinery from leading manufacturers.

The workshops are fully equipped, including full Massey Ferguson diagnostic equipment, and employ fully trained and obliging staff who are contactable outside working hours if necessary, to repair and service machines.



The stock of spares and accessories for Massey Ferguson and other equipment is second to none. Less common parts which are not instantly available can usually be supplied overnight.

Lubricants

OVOLINE SUPER UNIVERSAL OIL

586/025 25ltr
586/205 205ltr

A 15W/30 multigrade oil formulated to meet API CE/SF, GL4, CCMC, D4, G2 and Massey Ferguson approval MF1139. It is suitable for use in the majority of tractors and similar related farm equipment where a product of this type is applicable. May be used in both turbocharged and naturally aspirated engines, differentials, hydraulic systems, transmissions and wet clutch/brake systems.

AGRIFLEET 15W/40 ENGINE OIL

595/025 25ltr

Agrifleet 15W/40 engine oil is the true 'all rounder', a 15W/40 multigrade lubricant formulated to give excellent performance in both turbo diesel and petrol engines. Meets API CF4/CE/SG and CCMC ACEA, D4, PD2 and G4 specifications.

TRANSMISSION MASTER

583/025 25ltr

A high quality universal transmission fluid suitable for use in most tractor transmissions including those with wet brake assemblies. Meets JD20C, Ford M2C 134D, API GL4/CRCL20 specifications.

HYDRAULIC OIL

8032/005 5ltr
8032/025 25ltr
8032/205 205ltr

Ovoline ISO 32 Hydraulic Oil is just one of the commonly used hydraulic oils available which provides resistance to foaming, rust and are especially relevant for hydraulic systems where a high grade lubricant is required resistant to excessive wear.

POWER STEERING OIL

760 5ltr

GEAR OILS

EP80w/90 Gear Oil - 718 5ltr
EP90 Gear Oil - 714 5ltr

MULTIPURPOSE GREASE

Cartridges

85/C

Drums

85/12.5 12.5kg

Ovoline 75 is a lithium based multi-purpose grease of an NLGI consistency No.2 suitable for applications on tractors, harvesters and other agricultural machinery and implements. It is water resistant and particularly suitable for bearing lubrication over a wide temperature range. Ovoline 75 is suitable for pressure equipment or hand gun application and is also available in cartridges to facilitate easy grease gun loading without waste or contamination.

OVOLINE MILKING MACHINE OIL

9046 5ltr

Quality lubricant for milking machine vacuum pumps and hydraulic systems.

Workshop Oils

WD40 SPRAY OIL

3161200 200ml aerosol
3196200 400ml aerosol
3171900 5ltr pack

Universal problem solver, displaces water to stop shorting on vehicle electrical circuits, penetrates to release rusted fittings, protects metals against rust, cleans away grime and grease, lubricates etc. Aerosol with jet spout.



3 IN 1 OIL

3165800 Can with spout 100ml
3172000 Can with spout 200ml

Light lubricating oil for small machines, bicycles, sewing machines, on oilstones etc. Can comes with poly. pouring spout.

EASY START

3117800 Aerosol can

Spray for starting diesel and petrol engines when cold, or drying out vehicle electrics when damp. Simply sprayed into air cleaner, or over the electrical loom. Full instructions on can.



Antifreeze & De-Icer

DE-ICER

3115000 500ml trigger can

For clearing windscreens, freeing locks etc.

MF ANTI-FREEZE

1891780M3 5ltr can

Quality anti-freeze for all types of engines & combinations of metals.

Trailer Accessories


TRAILER BOARDS

Single board wired and fitted with regulation markers, with rear/stop lights and flashers.

MP254P

Two piece lighting board with rear/stop lights and flashers to fit any width trailer.

MP442



MAGNETIC/SUCTION BEACON

055 Each

Magnetic rotating beacon complete with coiled cable and fitted cigar plug. Magnetic base secures beacon to roof of vehicle, required when escorting or carrying abnormal loads.



DRAWBAR PINS


202 3/4" x 6"
203 7/8" x 6"
204 1" x 6"



BALL HITCH

4057 50mm

Heavy duty, dual ball hitch to take either drawbar pin or ball hitch.



BALL HITCH PINS

TP862 7/8" x 5"
TP863 1" x 5 1/4"



TRAILER HITCH EYES

3054121 Cranked
3053121 12" long
3053161 16" long



TRAILER LIGHTING SOCKETS

MP21 Male
MP23 Female



LYNCH PINS

7.5mm
11.5mm



Emergency Puncture Kit

OKO PUNCTURE REPAIR KIT

4417

For emergency tubeless tractor/lorry tyre repairs. The liquid in the kit is to seal the hole, so the tyre may be inflated.

Hydraulic Hose & Fittings

Carrs workshops will make up new or replacement hydraulic hoses complete with hose ends to any length and specification you require.

2W HYDRAULIC HOSE

Order in feet

HH33561 1/4" internal dia. per foot
 HH33563 3/8" internal dia. per foot
 HH33565 1/2" internal dia. per foot



BONDED SEALS

2808 3/8" seal
 2809 1/2" seal



SCREW COUPLINGS


Small Dowty Type

2351 Female carrier
 2350 Male probe



QUICK RELEASE COUPLINGS

2957 Male fit 3/8" hose
 2958 Female fit 3/8" hose
 2960 Male fit 1/2" hose
 2961 Female fit 1/2" hose




Slurry Tanker Accessories

Below are a few slurry tanker spares Carrs Billington carry. Call Carrs Billington machinery stores for your requirements they are probably available off the shelf, or can be supplied without delay.

SECONDARY FLOAT VALVE/SYPHON VALVE

Gives secondary protection against slurry entering the vacuum pump of the top float valve fails. Comes with clamp on plastic bowl and drain tap – as currently fitted to most makes of tanker.

S0060027 Complete



PRESSURE/VACUUM GAUGE

Available with, or without glycerine filling (to give steady needle reading and prolong life by reducing vibration).

S0050535 Standard model



OBSERVATION GLASS


Supplied complete with ring.

S0200040 (50mm) 2"
 S0300040 (75mm) 3"



OIL DROPPERS

S0025030 Single
 S0025031 Double



ANGLED DISCHARGE VALVE

Splash plate is set 180° to ground forcing slurry into a flat spray, to give better spread & control.

Various types



SPRINKLER CONES

Rubber discharge cone only.

S6680000 (150mm) 6" dia.



GREEN PVC SLURRY HOSE

Available 4m to 25m long

S6000300 (150mm) 6"/metre
 Also available 1" to 5" dia.

HOSE END COUPLINGS


6" (150mm) stocked, 2" (50mm), 4" (100mm) & 5" (125mm) available

Male coupling

SB3096 without clamp


Female coupling

SB3106 with hose end



THREADED END COUPLINGS – Fit gate valve

SB3126 Female




90° COUPLINGS

Various types Male/female

FLANGED COUPLINGS – Fit gate valve

Fit gate valve various



Tractor Funnels

FILLING FUNNELS

Plastic tractor funnel

6390 #1 (500 x 175mm) 10 1/2" x 7" top

Very strong, yellow plastic funnel with fine

